

- [01]: Aiken I.D., Kelly J.M. (1990)," Earthquake simulator Testing and Analytical Studies of Two Energy Absorbing Systems for Multistory Structures", Technical Report UCB/EERC-90/03, University of California, Berkeley, Berkeley, California.
- [02]: Ben Mekki O. (2006),"Amortissement semi-actif des structures flexible" Ecole Nationale des Ponts et Chaussées, Università degli Studi di Roma, "Tor Vergata".
- [03]: Bondonet G. (1997)," Elaboration d'un isolateur à la base original Pour les ponts et viaducs au CANADA" Université de Montréal, Canada.
- [04]: Burton S.A. (1996), " Modelling the response of an ER damper: phenomenology and emulation ", ASCE Journal of Engineering Mechanics, Vol. 122, No. 9, pp. 897-906.
- [05]: Chang C.H.,Soong T.T.(1980)," Structural control using active tuned mass dampers ", ASCE Journal of Engineering Mechanics, Vol. 106, No. 6, pp. 1091- 1098.
- [06]: Cheng F.Y., (1988)," Response control based on structural optimization and its combination with active protection", in Proceedings of Ninth World Conference on Earthquake Engineering, International Association for Earthquake Engineering, Tokyo, Vol. 6, pp. 471-476.
- [07]: Cheng FY ,Jiang H. (1998) ," Hybrid Control of Seismic Structures with Optimal Placement of Control Devices", Journal of Aerospace Engineering, Vol. 11, No. 2,pp. 52 - 58.
- [08]: Cheng F.Y. ,Jiang H. (1998),"Optimum control of hybrid system for seismic excitations with state observer technique", Journal of Smart Materials and Structures, Vol. 9, No. 5, pp. 654-663.
- [09]: Chris B. (1996)," Structural Vibration Analysis and Damping", Arnold, London.
- [10]: Chung L.L., Reinhom A.M., Soong T.T. (1988),"Experiment on Active Control of Seismic Structures," Journal of the Engineering Mechanics, ASCE, Vol. 114, No. 2, pp. 241-256.
- [11]: Etienne J. (2005)," Les nouvelles technologies du bâtiment au Japon", Ambassade de France au Japon, Service pour la Science et la Technologie.

- [12]: FitzGerald T. F., Anagnos T., Goodson M., Zsutty T. (1989), "Slotted Bolted Connections in Aseismic Design for Concentrically Braced Connections", *Earthquake Spectra*, Vol. 5, No. 2, pp. 383 - 391.
- [13]: Franklin Y.C., Hongping J., Kangju L.(2008), " Smart Structures Innovative Systems for Seismic Response Control", CRC Press.
- [14]: Hrovat D., Barak P., Rabins M. (1983), "Semi-Active Versus Passive or Active Tuned Mass Dampers for Structural Control", *Journal of Engineering Mechanics*, ASCE, Vol. 109, No. 3, pp. 691-705.
- [15]: Huffmann G.K (1985), "Full Base Isolation for Earthquake Protection by Helical Springs and Viscodampers ", *Nuclear Engineering and Design*, Vol. 84, pp. 331-338.
- [16]: International Code Council (2000), " Seismically Isolated Structures Design Requirements", *International Building Code*.
- [17]: Kawashima K., Unjoh S., Iida H., Mukai H. (1992), " Effectiveness of the variable damper for reducing seismic response of highway bridges", *Proceedings of Second U.S.–Japan Workshop on Earthquake Protective Systems for Bridges*, PWRI, Tsukuba Science City, Japan, pp. 479 –493.
- [18]: Kelly J. M. (1997), " Earthquake-Resistant Design with Rubber", Springer-Verlag, London.
- [19]: Kelly J. M., Skinner R. I., Heine A.J. (1972), "Mechanisms of energy absorption in special devices for use in earthquake resistant structures", *Bulletin of the New Zealand National Society for Earthquake Engineering*, Vol. 5, No. 3, pp. 63 - 68.
- [20]: Kobori T. (1993), "Seismic Response Controlled Structure with Active Variable Stiffness System", *Earthquake Engineering and Structural Dynamics*, Vol. 22, pp. 925-941.
- [21]: Makris N. (1996), " Electrorheological fluid damper for seismic protection of structures", *ASCE Journal of Engineering Mechanics*.
- [22]: Matsagar V.A. , Jangid R.S. (2003), " Seismic response of base-isolated structures during impact with adjacent structures", *Engineering Structures*, Vol.25, No.10, pp. 1311–1323.
- [23]: Mayes R. L., Farzad Naeim F. (2001), " Design of Structures with Seismic Isolation", *THE SEISMIC DESIGN HANDBOOK*, Chapter 14.

- [24]: Naeim F., and Kelly J. M. (1999), "Design of seismic isolated structures from theory to practice", John Wiley & Sons; New York.
- [25]: Nims D. K., Richter P. J., Bachman R. E. (1993), "The Use of the Energy Dissipating Restraint for Seismic Hazard Mitigation", *Earthquake Spectra*, Vol. 9, No. 3, pp. 467- 489.
- [26]: Nishimura I. (1992), "Active Tuned Mass Damper" *Journal of Smart Materials and Structures*, Vol.1, pp 306-311.
- [27]: Pall A.S., Marsh C. (1982), "Response of Friction Damper Braced Frames", *Journal of structural Division, ASCE*, Vol. 108, No. 6, pp. 1313-1323.
- [28]: Park K. S., Jung H. J., Lee I. W. (2002), "A comparative study on aseismic performances of base isolation systems for multi-span continuous bridge", *Engineering Structures*, Vol.24, pp. 1001–1013.
- [29]: Patten W.N., Kuo C.C., Liu L., Sach R.L. (1994), "Seismic structural control via hydraulic semi-active vibration dampers (savd)", in *Proceedings of the First World Conference on Structural Control*, pages FA2/83–89, International Association for Structural Control, Los Angeles, California.
- [30]: Sakamoto M., Kobori T., Yamada T., Takahashi M. (1994), "Practical Applications of Active and Hybrid Response Control Systems and Their Verifications by Earthquake and Strong Wind Observations", *First World Conference on Structural Control*, Los Angeles, California.
- [31]: Skinner R.I., Kelly J.M., Heine A.J. (1975), "Hysteresis Dampers for Earthquake-Resistant Structures", *Earthquake engineering and Structural Dynamics*, Vol. 3, pp. 287 - 296.
- [32]: Soong T.T., Constantinou M.C. (1994), "Passive and Active Structural Vibration Control in Civil Engineering", *International Centre For Mechanical Sciences*, Springer Verlag, New York.
- [33]: Soong T.T., Dargush G.F. (1997), "Passive Energy Dissipation System in Structural Engineering", 1st ed., John Wiley & Sons, Chichester, England.
- [34]: Soong T.T., Spencer Jr. B.F. (2002), "Supplemental energy dissipation: state-of-the-art and state-of- the-practice", *Engineering Structures*, Vol. 24, 243-259.

- [35]: Symans M.D., Constantinou M.C. (1995), "Development and Experimental Study of Semi-Active Fluid Damping Devices for Seismic Protection of Structures", Report No. NCEER 95-0011, National Center for Earthquake Engineering Research, Buffalo, New York.
- [36]: Tamura Y., Fujii K., Ohtsuki T., Wakahara T., Kohsaka R. (1995), "Effectiveness of tuned liquid dampers under wind excitation", *Engineering Structures*, Vol.17, No. 9, pp. 609-621.
- [37]: Yalla S.K, Kareem A.(2002) ," Tuned Liquid Dampers for Controlling Earthquake Response of Structures", *Earthquake Engineering and Structural Dynamics*, Vol. 31, No. 4, pp. 1037-1039.
- [38]: Yamamoto M., Aizawa S. (1994),"Control Effects of Active Mass Damper System Installed on Actual Buildings", *First World Conference on Structural Control*, Los Angeles, California.
- [39]: Yang G. (2001), "Large-Scale Magnetorheological Fluid Damper for Vibration Mitigation: Modeling, Testing and Control," Ph.D dissertation, University of Notre Dame.
- [40]: Yang J.N., Danielians A., Liu, S.C. (1991)," Aseismic hybrid control systems for building structures", *ASCE Journal of Engineering Mechanics*, Vol. 117, No.4, pp. 836-853.
- [41]: Zacek. M, (1996)," Construire parasismique ", Editions Parenthèses.