

## Références bibliographiques

Akashi .T et Amasaki S (1984): Study of the stress waves in the plunger of a rebound hammer at the time of impact, in situ / non destructive testing of concrete.

Akihama S et Al (1986) : extrait de revue “Béton de fibres” travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon.

Ali et Al (1973) : the tensile stress/strain curve of brittle matrices reinforced with glass fibre” Fibre reinforced materiel conference, institution of civil engineers, London, pp 101-109.

Ali, Majumdar, Singh (1975) : extrait de revue Béton de fibres” travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon.

Amasaki S (1991): Estimation of strength of concrete in structures by rebound hammer, CAJ Proceeding of cement and concrete, N° 45, pp 345-51.

American society for testing and materiel ASTM, C820-85 A standard specification for steel fibers for fibers reinforced concrete, ASTM, Philadelphia, USA, September 1985.

American Concrete Institute. ACI committee state of the art report reinforced concrete, journal of the American concrete institute, March/April 1984, pp 140-166.

Antoine, E, fiber reinforcement for concrete, Concrete International, March 1985, pp 21-25.

ASTM C 150-84 BS12( 1989) Method of testing cement, chemical testing.

Badi Aulia .T ( 2000): Strain Localization and Fracture Energy of High-Strength Concrete under niaxial compression. LACER No. 5, 2000, pp. 221-240.

Banthia (1995) : “Test methods for flexural toughness characterization of fiber reinforced concrete” Some concerns and a proposition “ ACI Materials journal, Vol 92, No 1, pp 48-57.

Banthia, N et Foy. C. (1989) Marine Curing Of Steel Fiber Composites, Journal of Materials in Civil Engineering, Vol. 1, no 2, May 1989, p. 86-96.

Banthia, N. (1992) : Propriétés mécaniques du béton, Notes de cours.

Banthia et Batchelor (1991): Material Properties of Fiber Reinforced Concrete, in State of the Art Report on advanced composite material in Bridges and Structures, Edited by Mufki Erki and Jaeger, Canadian Society for Civil, Engineering, Montréal, p. 70-112..

Banthia (1995) :Fiber matrice interface; Pre proceeding of international workshop of high performance fiber reinforced composite ,Vol 2, Edited by A.E Naaman , USA; p 417.

Balaguru (1992) : Fiber reinforced cement composite” McGraw Hill Inc..

Balaguru, P. ( 1994) Fiber Reinforced Concrete for Structural Components: A State-of-the Art, Workshop on Fiber Reinforced Cement and Concrete, July 1994. Sheffield, U.K.

Barnes et Al 1979 : Béton de fibres” travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon.

Battelle development corporation, concrete and steel material, british patent No1068163,December 1963.

Bentur et Al (1986) .Fiber reinforced cimentitious materiel, material science of concrete, vol 1, edited by J.P, Skalny, Waterville, USA; American Society Inc, p 223-283.

Bentur , Gay et Mindness (1986): Fibre reinforced cementitious composites, London: Elsevier.

Bigen (1979): polymer modified glass fiber composite reinforced cement successful composite .proceeding of the international congress on polymers in concrete

Bentur, Diamond et Midness (1985) The microstructure of steel fibres cement interface; journal of materiel Science ; Vol 20,p 3610-3620.

Bellander U (1976): Concrete strength in finished structures, part1: destructive testing methods. Swedish cement & concrete association, Stockholm, 1976, report 13/76.

Boucekoute – Debicki et Hamelin (1987) : extrait de revue Béton de fibres” travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon.

Boucekouk et Al (1987): extrait de revue «Béton de fibres” travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon.

Braun, M And Majdic (1980) : A. reinforcing castables with stainless steel fibres intercera No 129, PP 113-118.

Bungey J. H. (1989): The testing of concrete in structures. , 222 pp. (Surrey University Press.

Bungey J H (1979): determining concrete strength by using small diameter cores. Magazine of concrete research, vol 31, N° 107, June 1979.

Chuanette et Al (1996) :extrait de revue « Béton de fibres” travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon.

Corneille A (1979) : extrait de thèse «comportement du mortier renforcé de fibres en fonte amorphe » de G. Debecki Institut de Scherbook 1987.

Dardare (1975) : extrait de revue « Béton de fibres” travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon.

Dave et Ellis (1979) : extrait de revue « Béton de fibres » travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon.

Debiki.G extrait de revue « Béton de fibres » travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon.

Edgington et Hannant « Steel fiber reinforced concrete » The effect on fiber orientation of compaction by vibration », materials and structures, RILM, 5 (25) 41-44 January- February 1972.

Elvery, R.H. et Ibrahim, L.A.M (1976): Ultrasonic assessment of concrete strength at early ages. Magazine of concrete Research, Vol. 28, N° 97, December 1976, pp. 181-190.

Facaoaru, I. (1969): Non-destructive testing of concrete in Romania. Proc.On Non-destructive testing of concrete and Timber. Institution of Civil Engineers, London, June 1969, pp. 23-33.

Faiyaoh - Al-Aussi (1986) : extrait de revue « Béton de fibres » travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon.

Feldman R.F (1977) : Essais non destructifs du béton. Institut de la recherche en construction. Canada, October 1977.

Ficley, W( 1914): Improvements in reinforcing structures and wearing, asphalt, British patent No 11754, May 1914.

Gilebert G.T (1983) : extrait de revue « Béton de fibres » travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon.

Gopalaratnam et Shah (1986) : extrait de thèse de Houari . H (1993) Contribution à l'étude du comportement du béton renforcé de fibres soumis à l'action des charges maintenues et cycliques. Thèse de Doctorat, INSA ; Lyon

Graham . G( 1911): Reinforced Concrete, US Patent No 983, 274 February 1911.

Graham, J. R. (1969): concrete performance in Yellowtail Dam, Montana, laboratory report N°. C-1321 U.S. Bureau of Reclamation, (Denver, Colorado, 1969).

Grieb (W.E (1958): Use of the swiss hammer for estimating the compressive strength of hardened concrete, public Roads, 30, N°. 2, pp. 45-50 (Washington DC, June 1958)

Hackman (1980) : extrait de revue « Béton de fibres » travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon

Hannant (1987) : « Fiber cement and fiber concretes » john Wiley and sons, ltd, New York, p213.

Hung, H. W. et Law, K. S. (1983): Diagnosing in situ concrete by ultrasonic pulse technique, Concrete International, 5, N°. 10, pp. 42-9.

Jones, R. (1962): Non-destructives testing of concrete. Cambridge University Press, London, 1962, 104 pp

- Jons. R et Facaoaru, I. (1969): Recommendations for testing concrete by the ultrasonic pulse method. *Matériaux ET Constructions*, N°. 10, 1969, pp. 275-284
- Johanson et AL (1974): steel fiber reinforced mortar and concrete :review of Japanese society of civil engineers, JSCE-SF1 to JSCE-SF 7 methods of test for steel fibers reinforced concrete , concrete library of JSCE, NO 3 June 1974, PP45-74.
- Johanson et Colman (1974) : strength and deformation of steel fiber reinforced mortar in uniaxial tension”, American Concrete Institute Publication SP-44, 1974, pp 177-194.
- Kaxamura . (1984) : extrait de thèse de Houari . H (1993) Contribution à l'étude du comportement du béton renforcé de fibres soumis à l'action des charges maintenues et cycliques. Thèse de Doctorat, INSA ; Lyon
- Keiller A P. (1984): An investigation on the effects of test procedure and curing history on the measurement of concrete. Int. Conf; In situ / non-destructive testing of concrete. Detroit, American Concrete Institute, 1984
- Keer et Hannant (1986) : extrait de revue « Béton de fibres” travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon
- Krenchel H (1974) : extrait de thèse de Houari . H (1993) Contribution à l'étude du comportement du béton renforcé de fibres soumis à l'action des charges maintenues et cycliques. Thèse de Doctorat, INSA ; Lyon
- Kunio Nishioka et Al 1986 : extrait de revue «Béton de fibres” travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon
- Lankard, D and Sheets H : use of steel wire fibers in refractory castables, *Journal of the American ceramic society* vol 63, No 7, 1971.
- Leshchinsky A. (1991), Non-destructive methods instead of specimens and cores, quality control of concrete structures, In: *Proceedings of the International Symposium*
- Leslie, J.R. et Cheesman, W. J.(1949): An Ultrasonic method for studying deterioration and cracking in concrete structures. *Amer Concrete Inst, Proceedings*, Vol 46, sept 1949, pp. 17-36.
- Majundar A.J (1974): “Properties of fiber cement composite”; *Fiber reinforced cement and concrete, RILM Symposium*, 1974; pp 279-314.
- Majundar A.J and Nurse R.W , glass reinforced cement « current paper ep 79/74 ,building research establishment.
- Malhotra V. M. (1976): Testing hardened concrete: non-destructive methods. Monograph N°. 9. American Concrete Institute, Detroit, 1976, 188 pp
- Mellas. M (2003) : L'utilisation Du Microscope Electronique A Balayage Et Les Diffractions Par Rayons X Dans L'étude Des Ciments Et Bétons, Thèse de doctorat en génie civil. 2003

- Manday G. L. and Ravinda D. K. (1984): Assessment of in situ / non destructive testing of concrete, Ottawa ,Canada, Oct 1984.
- Martin, G, Method of forming pipes, US Patent NO 1 PP 633, 219, 21 June 1927.
- Masdar Helmi (1998) : Thèse D.E.A, Institut national de Lyon, 1998/1999.
- Millan 1982 : comportement du mortier renforcé de fibres en fonte amorphe » de G. Debecki Institut de Scherbook 1987.
- Neville A. M. (2000) : Propriétés des bétons. Eyrolles, Paris, 2000.
- Noiret Y (1983) : extrait de revue «Béton de fibres” travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon.
- Odelberg .G (1985): comportement du mortier renforcé de fibres en fonte amorphe » de G. Debecki Institut de Scherbook.
- Pachtchenko et Al (1978): extrait de revue «Béton de fibres” travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon.
- Paskova (1997): Extrait de thèse D.E.A Masdar Helmi, Institut national de Lyon, 1998/1999.
- Pachtchenko et Al (1980) : extrait de revue «Béton de fibres” travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon.
- Porter, H : Preparation of concrete from selection of materials to final disposition , journal of the American Concrete institute, Vol 6, 1910 p 269.
- Ramirez J. L. and Barcena K. M (1979): some data on concrete cores strength evaluation. Proceedings of Rilem,
- Ramakrishnan, V. et Wecharatana, M.(1989) fracture toughness of fiber reinforced concrete. Report of an Inter-University study sponsored by CMRC, ACI, and NSF Task group on CMRC/NSF Rescarch. ACI Committee 544- fiber reinforced concrete .December 1989,69 p.
- Ramkrishnan .V, Balaguru P., Kostaneski, et Johnston D.(1990): Field performance of fiber reinforced concrete highway pavements, serviceability and durability of construction matériaux- proceedings of the first materials engineering congress, ASCE, denver USA. p. 903-912.
- Romuald . J and Baston. G( 1963): The mechanics of crack arrest in concrete, proceeding of the American society of civil engineers, June 1963, pp147-168.
- Romuald . J and Baston. G (1963): behavior of reinforced concrete beams with closely spaced reinforcement, journal of the American concrete institute, vol .60, No 6, June 1963, pp .775-789.
- Romuald . J and Mandel .J ( 1964): Tensile strength of concrete affected by uniformly distributed and closely spaced short length of wire reinforcements, journal of the American concrete institute, vol 61, No 6, June 1964, pp 657-671.

- Romuald . J and Al (1986): Prevention and control of cracking by use of short random fibers, journal of American concrete institute publication Sp-20, Paper No 10, 1986, pp179-203.
- Rosli, A. & Harnick, A.B.(1980) improving the durability of concrete to freezing and deicing salts, durability of building materials and components,ASTM STP-691,p.464-473
- Rossi (1994) :Les bétons de fibres ultra-hautes performances, Bulletin de liaison des Laboratoires des ponts et chaussées, no 196, p. 6 1-66
- Samarin, A. et Meynink, P. (1981): Use of combined Ultrasonic and rebound hammer method for determining strength of concrete structural members. Concrete International, March 1981.
- Shah S.P et Gopalaratnam V.S (1985) : « Effects of reinforcement on ductility of concrete » Proceeding of American Society of Civil Engineers : journal of the structural division, 1167,-1184, June 1985.
- Shigeyuki, Akihama et Al (1986) : Béton de fibres” travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon
- Skramtaev, B. G. et Leshchinsky, M.Y. (1966): Complex methods non-destructive tests of concrete in constructions and structural works. Matériaux et constructions, N°. 30, March 1966, pp. 99-105.
- Smith, W (1927): Ferroconcrete Construction, US Patent No 1, Pp349, 901, 21 June 1927.
- Steel B.R (1971) : Béton de fibres” travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon
- Sturup V.R, Vecchio F. J. et Caratin H. (1984): Pulse velocity as a measure of concrete compressive strength, in In situ/ non destructive testing of concrete, Ed, V. Mohan Malhotra, ACI SP-82, pp. 201-27 (Detroit, Michigan, 1984).
- Swamy, Mangat et Rao ( 1974): “The mechanics of fiber reinforced of cement matrices” , fiber reinforced concrete, American concrete institute Publication S.P, 991-28.
- Swamy .P.N et Theodropoulos ( 1981): extrait de revue « Béton de fibres” travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon
- Tattersal et Urbanouicz (1974) : extrait de revue « Béton de fibres” travaux de laboratoire des bétons et structures, Institut National des Sciences Appliquées , Lyon.
- Tanigawa, Y., Yamada, K. Kumagai, S. et Kosaka, Y. Estimation of strength distribution in concrete columns by Combined Non-destructive testing method of concrete, Trans. Of Japan Concrete Institute, Vol.3, (1982), pp.199-206.
- Venuat .M (1983) : Des fibres pour alléger et renforcer le béton , cahiers technique de bâtiment ,1983,N58 p59-70
- Whitehurst E.A. (1966): Evaluation of concrete properties from sonic tests, Monograph N°. 2. American Concrete Institute, Detroit, 1966, 94 pp)

Wearkley, B. ( 1912): Bonding means for reinforced concrete structure, US Patent No 1m 046m 913m 10 December 1912.

Willets C.H. (1958): Investigation of the Schmidt concrete test hammer, Miscellaneous Paper N°. 6-267 (U.S. Army Engineer Waterways Experiment Station, Vicksburg, Miss, June 1958)

Williams, J. F. (1936): A method for the estimation of compressive strength of concrete in the field. The structural engineer, Vol. 14, N°.7, July 1936, pp. 321-326.

Yamane, S. et Al. (1979): Concrete in finished structures, Takenaka Tech. Res. Rept. N°.22, pp.67-73 (Tokyo, Oct.1979).

Yin (1988): Extrait de thèse D.E.A Masdar Helmi, Institut national de Lyon, 1998/1999.

Zitkevic, N.( 1983): Improvements in reinforced concretes, British Patent No 51, 5003, May 1983.