

Bibliographie

- [1] McPherson M, "Irradiated Silicon Detectors as Relaxation Devices", PhD Thesis, 1997, Lancaster University.
- [2] Zdansky. K, "Quasistatic capacitance-voltage characteristics of plane-parallel structures: Metal/semi-insulator /metal", Journal of Applied Physics, VoI. 88, N° 4 (2000), pp. 2024-2029.
- [3] Jones B.K and McPherson M, "Radiation damaged silicon as a semi-insulating relaxation semiconductor: Static electrical properties", Semicond. Sci. Technol, Vol. 14 (1999), pp. 667-678
- [4] M. R. Brozel. "Irradiation damage in GaAs partical detectors", Nuclear Instruments and Methods in Physics Research A 395 (1997) 88-93
- [5] Patrik R, "Etude des caractéristiques électrique de détecteurs au silicium dans les conditions d'irradiation du LHD" , thèse PhD, 1999, Université de Montréal.
- [6] Pitzl D et al "Type inversion in silicon detectors", Nuclear Instruments and Methods in Physics Research, A. 311(1992), pp.98-104.
- [7] M. McPherson, B. K. Jones and T. Sloan," Effects of radiation damage in silicon p-i-n photodiodes", Semicond. Sci. Technol. 12 (1997) 1187-1194.
- [8] Hartmut F and W. Sadrozinski, "Application of Silicon detectors", university of California SantaCruz, CA 95064 USA (2000)
- [9] Bates S. J and al, "Recent result of radiation damage studies in silicon", Nuclear Instruments and Methods in Physics Research, A. 344 (1994), pp.228-236.
- [10] Wen Lin,"the incorporation of oxygen into silicon crystals", Semiconductors and Semimetals, Vol.42 (1994), pages 9-52. Academic Pres Inc, New York.
- [11] G. Bertolini and A. Coche, "Semiconductor detectors", North-Holland Publishing Company, 1968, Amsterdam.
- [12] C. Caso et al, "Review of particle Physics", The European Physical Journal, C3: 1, (1998),pp.2002-2012..

- [13] Michael Moll, "Radiation damage in Silicon Particle Detectors. Microscopic defects and macroscopic properties", thesis, 1999, University of Hamburg, Germany.
- [14] John. A. J. Matthews et al, " Bulk Radiation Damage in Silicon Detectors and Implications for LHC Experiments ", Nucl. Instr. Meth. A 381, 338 (1996)
- [15] V.A.J. van Lint, T.M. Flanagan, R.E. Leadon, J.A. Naber, V. C. Rogers. " Mechanisms of radiation effects in electronic materials", Wiley. Interscience, New York, pp.205-69 (1980).
- [16] Angarano M. M et al, "Characterization and simulation of a simple-sided n⁺ on n silicon microstrip detector before and after neutron irradiation", Nuclear Instruments and Methods in Physics Research, A. 428(1999), pp.336-347.
- [17] Aurangzeb K and al, "Evolution of defect complexes in silicon single crystals with heavy fluency 10 MeV proton irradiation", Journal of Applied Physics, Vol.87, No.5 (2000), pp.2162-2168.
- [18] B. C. Moc Evoy, "Defect Kinetics in silicon Detectors Material for Application at the Large Hadron Collider", PhD Thesis, November 1996, Imperial College, London.
- [19] S. J. Watts et al, "A new model for generation-recombination in silicon depletion regions after neutron irradiation", IEEE transactions on Nuclear Science, 43 (1996) 2587.
- [20] W. Shockley and W. T. Read, "Statistics of the recombination of holes and electrons", Physical Review 87, 5 (1952) 835-842
- [21] R. N. Hall, "electron - hole recombination in Germanium", Physical Review, 87:387(1952).
- [22] C.T. Sah, R.N. Noyce and W. Shockley, " Carrier generation and recombination in p-n junction and p-n junction characteristics", Proc. IRE, 45, 1228 (1957)
- [23] Van roosbroeck W and Casey H. C. J, "Transport in Relaxation Semiconductors", Physical Review, (1972), B5, pp 2154-2174
- [24] B. K. Jones, M. McPherson and J. Santana, "Irradiated Silicon Detectors a Relaxation semiconductor analysis", Rose Technical Note 1998,
<http://http1.brunel.ac.uk.8080/research/rosetn.htm>.
- [25] G. Goureaux, "Physique des composants et dispositifs électriques", 1994, Masson, p60, 61, Paris.
- [26] R. Wunstorf, "Systematische Untersuchungen zur Strahlenresistenz von Silizium-Detektoren für die Verwendung in Hochenergiephysik-Experimenten", PhD thesis, University of Hamburg, October 1992.
- [27] T. Schultz, "Investigation on the long term behaviour of damage effects and corresponding defects in detector grade Silicon after neutron irradiation", doctoral thesis, 1996, Hamburg

- [28] D. M. Caughey and R. F. Thomas, "Carrier Mobilities in Silicon Empirically Related to Doping and Filed", Proceedings of IEEE (letters) (1967): 2192-2193.
- [29] D.L. Scharfetter and H. K. Gummel, "Large-Signal Analysis of a Silicon Read Diode Oscillator", IEEE Transactions on Electron Devices, no. ED-16, January 1969, pp. 64-77.
- [30] Kurata M "Numerical Analysis for Semiconductor Devices" Lexington Books, Toronto (1982).
- [31] Ogawa M, Matsubayashi H, Ohta H and Miyoshi T, "Accurate parameter extraction of heterojunctions based on inverse C-V simulation", solid-state Electronics Vol. 38, No. 6 (1995), pp. 1197-1207.
- [32] D. Passeri et al., "A comprehensive Analysis of Low-Resistivity Radiation Detectors", Nucl. Inst and Meth. A 426 (1999)131.
- [33] G. Pellegrini, M. Lozano, F. Campabadal, C. Fleta, C. Loderer, M. Ullan, "Comparison of Radiation Hardness of P-in-N, N-in-N and Silicon Pad Detectors", IEEE Transactions on Nuclear Science 52 N° 5, October 2005,pp.1468-1473.